

Centre for Cellular and Molecular Platforms

Ref: C-CAMP/L-239/2021-22 (C)

March 23, 2022

ENQUIRY

Dear Sirs,

Please let us have your lowest quotation for the following:

Sl.No.	Item/s description	Qty.
1	Dome Camera – Specifications attached	6 Nos.
2	Bullet Camera – Specifications attached	2 Nos.

Note:

The bids are liable to be rejected if the sealed envelope is not addressed to "THE HEAD-PURCHASE" with Tender Ref No. and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail, it should reach by submission date and time and CCAMP/NCBS will not be responsible for the delay.

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 12/04/2021 BY 5.30PM.

- 3.QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.
- 4. The validity of your quotation should be for 60 days from the due date.
- 5.All duties, taxes, surcharge and cess as currently applicable must be stated in your quotation, separately. Otherwise your quote is liable to be rejected.
- 6. Your quotation should indicate delivery period & warranty period.
- 7.Delivery to be made to our stores. Please indicate charges, if any extra. Transit Insurance should be done upto CCAMP Stores.
- 8.If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, please state so and then offer alternative to quality/specifications.
- 9. Payment: within one month after delivery & acceptance/satisfactory installation.
- 10.Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.
- 11. If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.
- 12. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Conciliation Act, 1996 as amended from time to time shall apply. The courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties
- 13.Since we are a research institution, we are exempted from paying Customs duty (Except advolerum duty of 5% + 2%Cess and 1% Cus Sec & High Edu. CESS vide Notification No.51/96 with latest amendments) and excise duty vide Notification No. 10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices
- 14.If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

- 15. CCAMP is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for research purpose vide notification no. 47/2017 and 45/2017 dated 14th Nov, 2017. The offer should be submitted after fully considering the above notification.
- 16. Liquidity Damages: If the equipment/ items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.
- 17. Income Tax at the applicable rates as per the Indian Income Tax Act 1961 will be deducted at source for the services availed / ordered. In case of service provider, the rate of tax deduction shall be at 2% as per Section 194C, and in case of fee for professional / technical services

Cherana S. R.

GKVK, Bellary Road, Bangalore 560 065. India Phone +91-80-23666344.Fax+91-80-23636662 chetana@ncbs.res.in . www.ccamp.res.in

SI.No

Description

-	Impro Constant	10 2010
٠,	minge ocholi	1/2./" Progressive CMOS or Better
2	Max. Resolution	2560x1920 (5MP) or better
3	Lens Type	Vari-focal, Remote Focus
4	Focal Length	4.1 – 9mm or better
5	Auto-iris	P-iris
9	RAM. Flash	1GB or better, 256 MB or better
7	Shutter speed	1/5 sec. to 1/25,000 sec. or better
8	Day/Night	Yes
6	Removable IR-cut Filter	Yes
10	Minimum Illumination	0.3 Lux @ F1.4 (Color), <0.08 lux @ F1.4 (B/W)
=	Lens field of view	55°(H), 36°(V) or better
12	Pan/Tilt/Zoom Functionalities	48x digital zoom or 2.2x Optical zoom or better
13	On-board Storage	Slot type: MicroSD/SDHC/SDXC card slot
14	Video Compression	H,264
15	Maximum Frame Rate	30 fps @ 2560x1920, 60 fps @ 1920x1080
16	Maximum Streams	3 simultaneous streams or better
11	WDR technology	Forensic capture WDR / WDR pro
18	Dynamic Range	100 dB or better
61	Video Settings	Video Motion Detection, Adjustable resolution, quality and bitrate
	Inage Settings	Text overlay, flip & mirror: Configurable brightness. contrast. saturation. sharpness. white
20		balance, exposure control, backlight compensation/ daynight threshold, Noise reduction
21	Network protocols supported	SSL, TLS, Ipv4, IPv6, TCP/IP, HTTP, HTTPS, UPnP. RTSP/RTP/RTCP, IGMP, SMTP, FTP, DHCP, NTP. DNS, DDNS, PPPoE, QoS, SNMP, 802.1X, UDP, ICMP.
22	Interface	10 Base-T/100 Base-TX Ethernet (RJ-45)
23	ONVIF	Supported
24	Video Motion Detection	Five-window video motion detection, human detection, time filter
25	Aların Triggers	Motion detection, digital input, recording notification, camera tampering detection
26	Alarm Events	Event notification using digital output, HTTP, SMTP, FTP, NAS server and MicroSD card
27	Connectors	RJ-45 cable connector for 10/100Mbps Network/PoE connection
28	Power Input	IEEE 802.3af PoE Class 0
29	Power Consumption	PoE: Max. 12 W
30	Humidity	9,606
		The second state of the se

Approvals and Certifications FCC Class B, VCCI, UL
32 MAF from OEM Manufacturer Authorisation Form is mandatory to g
33 Hardware/Software NVR Yes
34 Warranty 3yrs Onsite NBD

Mandatory:-

- 1) Vendor needs to mandatorily submit MAF along with the quote.
- 2) 3 yrs onsie warranty from OEM and Vendor for the quoted products and support.

- 3) Demo of all the quoted products is a must.
 4) Vendor quoting for this should have executed similar works and relevant documents to be submitted.
 5) Hardware/ Software NVR need to be quoted as per the solution proposed and should support ONVIF compliant cameras.
 6) OEM should have Support centre in Bangalore.
- 7) Vendor needs to have local point of presence/registered office at Bangalore.
- 8) The vendor should be ready for Demo of the quoted products within 7days from intimation. Timelines for demo will not be extended.

Note:-

- Data sheets for quoted products must be attested.
 Installation charges per camera needs to be quoted.
 Support charges for 3yrs if any needs to be quoted.
- 4) Necessary mounting brackets/accessories to fix the cameras on walls to be quoted.

2 Maximum Resolution 3 Lens Type 5 Focal Length 6 Flash 7 RAM 8 Field of View 9 WDR Technology 10 Removable IR-cut Filter 11 Minimum Illumination Pan/Tilt/Zoom 12 Functionalities 13 IR Illuminators 14 On-board Storage 15 Video Compression 16 Maximum Frame Rate 17 Dynamic Range 18 Video Settings Text overlay, mirrori	P-Iris Remote focus, varifocal 2.8 – 8.5mm or better 2.6 MB or higher 1 GB or higher 1 O4 - 36(H), 55 – 20(V) or better WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better a) mtr or better MicroSD/SDHC/SDXC card slot
ilter	P-Iris Remote focus, varifocal 2.8 – 8.5mm or better 256 MB or higher 1 GB or higher 104 - 36(H), 55 – 20(V) or better WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better a) mtr or better MicroSD/SDHC/SDXC card slot
ilter On ute	Remote focus, varifocal 2.8 – 8.5mm or better 256 MB or higher 1 GB or higher 104 - 36(H), 55 – 20(V) or better WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better
ilter on	2.8 – 8.5mm or better 256 MB or higher 1 GB or higher 104 - 36(H), 55 – 20(V) or better WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
ilter on ite	256 MB or higher 1 GB or higher 104 - 36(H), 55 - 20(V) or better WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better
ilter	1 GB or higher 104 - 36(H), 55 – 20(V) or better WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
ilter On tite	WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better
ilter	WDR Pro or Forensic WDR Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
on on the tite	Removable IR-cut filter for day & night function 0.15 Lux @F1.2(C), 0.03 Lux @F1.2(B/W) or better ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
oo ite	ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
Ite	ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
at least the state of the state	ePTZ: 48x digital zoom or 3x optical zoom or higher 30 mtr or better MicroSD/SDHC/SDXC card slot
ite	30 mtr or better MicroSD/SDHC/SDXC card slot
at litte	MicroSD/SDHC/SDXC card clot
ite	1010 0110 0110 0110 0110
ne Rate e	H.264 & MJPEG
v	30 fps @ 2560x1920 or higher
	120 dB or better
Text overlay, mirrori	Video Motion Detection, Adjustable resolution, quality and bitrate
	Text overlay, mirroring; Configurable brightness, contrast, saturation, sharpness, white balance, exposure control, backlight
19 Image settings	compensation/ day/ night threshold
S	Motion detection, digital input, recording notification, camera tampering detection
21 Event Actions	Notification using digital Input/output, HTTP, FTP, and SD Card,
*** *	SSL, TLS, Ipv4, IPv6, TCP/IP, HTTP, HTTPS. UPnP, RTP, IGMP, SMTP, FTP, DHCP, NTP, DNS, DDNS., QoS, SNMP.
22 Network Protocols supported	802.1X, UDP, ICMP, ARP, CIFS/SMB
Audio Compression	
23	G.711, G.726
24 Interface	Ethernet RJ45 with POE
25 ONVIF	supported
26 Motion Detection	Motion Detection
27 Other settings	line crossing detection, field detection
28 Power	Max 12.95 W or better

35 Warranty from OEM	34 Hardware/Software NVR	33 MAF from OEM	32	Safety Certifications	31	Humidity	30 Operating Temperature	29	Casing
36 months	Yes	Manufacturer Authorisation Form is mandatory to get qualified	FCC Class-A, VCCI, UL, EN 50121-4		90.00%		-30°C ~ 60°C or better	IP66, IK10	

Mandatory:-

- 1) Vendor needs to mandatorily submit MAF along with the quote.
- 2) 3.yrs onsie warranty from OEM and Vendor for the quoted products and support.
- 3) Demo of all the quoted products is a must.4) Vendor quoting for this should have executed similar works and relevant documents to be submitted.
- 5) Hardware/ Software NVR need to be quoted as per the solution proposed and should support ONVIF compliant cameras.
- OEM should have Support centre in Bangalore.
- 7) Vendor needs to have local point of presence/registered office at Bangalore.
- 8) The vendor should be ready for Demo of the quoted products within 7days from intimation. Timelines for demo will not be extended.

Note:-

- 1) Data sheets for quoted products must be attested.
- 2) Installation charges per camera needs to be quoted.
- 3) Support charges for 3yrs if any needs to be quoted.
- 4) Necessary mounting brackets/accessories to fix the cameras on walls to be quoted.