

Ref: C-CAMP/L-090/2021-22(C)

August 25, 2021

ENQUIRY REMINDER

Dear Sirs,

Please let us have your lowest quotation for the following:

Sl.No.	Item/s description	Qty
1	Supply and installation of Garment cubicle (As per the specification & diagram attached)	1 No.
2	Supply and installation of static pass box (As per the specification attached)	1 No.

Note:

1. The quotation shall be submitted in a sealed envelope duly superscribed with the enquiry number, and the due date for Ref No:..... The bids should be addressed and to be mailed / couriered (sent by post/courier) to 'THE HEAD-PURCHASE'.

The bids are liable to be rejected if the sealed envelope is not addressed to "THE HEAD-PURCHASE" with Tender Ref No. and Item Description and due date. The bids delivered in person shall be dropped in Purchase Section. If the bids are sent through courier or mail, it should reach by submission date and time and CCAMP/NCBS will not be responsible for the delay.

2. DUE DATE FOR SUBMISSION OF QUOTATION AGAINST THIS ENQUIRY IS 31/08/2021 BY 5.30PM.

3. QUOTATIONS RECEIVED AFTER THE DUE DATE SHALL BE REJECTED.

4. The validity of your quotation should be for 60 days from the due date.

5. All duties, taxes, surcharge and cess as currently applicable must be stated in your quotation, separately. Otherwise your quote is liable to be rejected.

6. Your quotation should indicate delivery period & warranty period.

7. Delivery to be made to our stores. Please indicate charges, if any extra. Transit Insurance should be done upto CCAMP Stores.

8. If you are unable to supply the quality, specifications or brand as mentioned in our enquiry, please state so and then offer alternative to quality/specifications.

9. Payment: within one month after delivery & acceptance/satisfactory installation.

10. Please ensure that the enquiry number and the due date is superscribed on the envelope failing which your quotation is liable to be rejected.

11. If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

12. Any dispute or differences that may arise between the parties shall be referred to the sole arbitration of the Centre Director or his nominees. The decision of the arbitrator shall be final and binding on the parties. The venue for arbitration shall be Bangalore. The provisions of the Arbitration and Conciliation Act, 1996 as amended from time to time shall apply. The courts in Bangalore shall have exclusive jurisdiction to deal with any or all disputes between the parties

13. Since we are a research institution, we are exempted from paying Customs duty (Except ad valorem duty of 5% + 2% Cess and 1% Cus Sec & High Edu. CESS vide Notification No.51/96 with latest

amendments) and excise duty vide Notification No. 10/97 CENTRAL EXCISE dated 01-03-1997 for all scientific equipments, technical instruments, equipments (including computers), their accessories, spares, consumables and software. Hence, please offer your prices

14. If the item is covered under DGS&D rate contract, please quote the rate as per the DGS&D rate contract with xerox copy of the DGS&D order.

15. CCAMP is a public funded research institute and is entitled to concessional rate of GST @ 5% for certain items supplied for research purpose vide notification no. 47/2017 and 45/2017 dated 14th Nov, 2017. The offer should be submitted after fully considering the above notification.

16. Liquidity Damages: If the equipment/ items as per specifications in our P.O. is not supplied (shipped) within the specified delivery schedule, then liquidated damages (not in terms of penalty) will be imposed automatically and shall be deducted from the bill at the rate of 0.5% per week subject to a maximum of 10% of the order value.

17. Income Tax at the applicable rates as per the Indian Income Tax Act 1961 will be deducted at source for the services availed / ordered. In case of service provider, the rate of tax deduction shall be at 2% as per Section 194C, and in case of fee for professional / technical services



Chetana S. R.

GKVK, Bellary Road, Bangalore 560 065. India
Phone +91-80-23666344. Fax+91-80-23636662
chetana@ncbs.res.in . www.ccamp.res.in

Specification of Garment cubicles

1. System should be made up of Stainless steel 304 grade based main body construction.
2. The dimension for the garment cubicle should be As per diagram attached.
3. System should be equipped with fluorescent tube, UV germicidal tubes, HEPA filter, motor assembly, pre-filter, manometer as well as door with glass view support.
4. The internal construction should have covings for easy cleaning.
5. System should be equipped with transparent door for clear view of internal chamber.
6. System should be fitted with UV lamp 15 watts for managing germicidal activities.
7. System should have indications for door opening and closing.
8. The system should have the UV Cut off whenever the door opening.
9. System must be static and dynamic model finish.
10. System should be provided with suitable SS hanging rods with two no's of drawers at the bottom of the cabinet.
11. System should be equipped with HEPA filters that removes 99.97% of all contaminants up to 0.3microns and larger. With the minimum down flow velocity of 0.45m/s
12. The motor should be 1/5 HP with RPM of 1420.
13. The cabinet should provide an ISO class 5 cleanliness levels.
14. System should consist of balanced Motor-blower with suspension arrangement for diminishing the noise level 30 – 40 dB.
15. All control panels should be fitted on the front panel of cubicle comprising of on/Off switch of fluorescent tubes and UV tubes & Blower.
16. The cabinet should be suitable for power supply of single phase Electricity Supply – 220V, 50Hz
17. The system should be supplied with castor wheel with lock for easy movement.
18. The system should be supplied with all the accessories required to function in the main offer (not an optional accessories).
19. The vendor should must compulsory site visit to get better understanding of the dimension.
20. Compliance to each of the above points should be separately indicated and evidence presence for each of them (Product brochures should be highlighted wherever required).
21. The system should be supplied with 3 years warranty.
22. The system should be CE/ISO Approved.

Specification of static pass box

- .System should be made up of Stainless steel 304 grade based main body construction.
- .System should be equipped with fluorescent tube, UV germicidal tubes and doors with glass view support.
- .The internal construction should have covings for easy cleaning.
- .The system should have the internal Dimensions of W750 x D 650 x H 650 mm
- .System should be equipped with transparent door for clear view of internal chamber.
- .System should be fitted with UV lamp for managing germicidal activities.
- .System should have indications for door opening and closing.
- .All control panels should be fitted on the front panel of cubicle comprising of on/Off switch of fluorescent tubes and UV tubes.
- .System should be equipped with electromechanical interlock facility that makes these delivers reliable.
- .The cabinet should have a UV hour meter for notifying the usage hours.
- .The cabinet should have visual indications for door interlocking.
- .The system should have the UV Cut off whenever the door opening.
- .The cabinet should be suitable for power supply of single phase Electricity Supply – 220V, 50Hz
- .The system should be supplied with all the accessories required to function in the main offer (not an optional accessories).
- .Compliance to each of the above points should be separately indicated and evidence presence for each of them (Product brochures should be highlighted wherever required).
- .The vendor should must compulsory site visit to get better understanding of the dimension.
- .The system should be supplied with 3 years warranty.
- .The system should be CE/ISO Approved.